



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L170A



JP H.K. LTD.

## Model No: LCD-L170A

### Model No: LCD-L170A

Aluminum Frame, Horizontal.

17Inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer. -

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 6.15KG
- Size of the machine: 548 (H) x355 (V) x40 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm (H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power:50W
- Stereo rated power: 2 x2W

Outer packing

Carton size: 623\*590\*440 mm

QTY: 5 PCS/CTN

G.W.: 37.5 KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L170B



## Model No: LCD-L170B

Aluminum Frame, Vertical.

17inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer. .

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 6.8KG
- Size of the machine: 415 (H) x569 (V) x32 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm (H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power: 50W
- Stereo rated power: 2 x2W

Outer packing

Carton size: 635\*490\*125 mm

QTY: 1 PC/CTN

Carton G.W.: 7.5KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

➤ LCD Digital Advertising Player

Model No:LCD-L170C



P H.K. LTD.

## Model No: LCD-L170C

### Model No: LCD-L170C

Metal Frame

17inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 6.5KG
- Size of the machine: 398 (H) x375 (V) x40 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm (H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power:50W
- Stereo rated power: 2 x2W

Outer packing

Carton size: 623\*590\*440 mm

QTY: 5 PCS/CTN Carton

G.W.: 37.5 KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

➤ LCD Digital Advertising Player

Model No:LCD-S170A



.K. LTD.

## Model No: LCD-S170A

### Model No: LCD-S170A

Plastic Frame, Horizontal

17inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer. .

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 7KG
- Size of the machine: 600 (H) x380 (V) x47 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm (H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC110~220V
- Standard power: 50W
- Stereo rated power: 2 x5W

Outer packing

Carton size: 695\*470\*135mm

QTY: 1 PCS/CTN

Carton G.W.: 8KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

➤ LCD Digital Advertising Player

Model No:LCD-S170B



JP H.K. LTD.

## Model No: LCD-S170B

Plastic Frame, Vertical.

17inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer. .

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 6.1KG
- Size of the machine: 415 (H) x560 (V) x32 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm(H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power:50W
- Stereo rated power: 2 x5W

Outer packing

Carton size: 635\*490\*125 mm QTY: 1 PC/CTN Carton G.W.: 7.5KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-S170W



H.K. LTD.

## Model No: LCD-S170W

### Model No: LCD-S170W

Acrylic frame, calendar.

17inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 9.2KG
- Size of the machine: 665 (H) x395 (V) x50 (T) mm
- Working temperature:5℃~60℃
- Active Area: 337.9 x 270.3mm (H x V)
- Pixel pitch: 0.264mm
- Number of pixels:1280 x1024
- Number of colors: 16.2m
- Brightness: 300cd/m<sup>2</sup>
- Contrast ratio :700:1
- Viewing Angle: U75/D60/L75/R75
- Input voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power:55W
- Stereo rated power: 2 x2W

Outer packing

Carton size: 760\*475\*500mm

QTY: 4 PCS/CTN

Carton G.W.: 42 KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax :( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L17A



## Model No: LCD-L17A

### Product Description

- ◎Casing :Fireproof material
- ◎Player media: CF card
- ◎Display size: 17" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎ All digitized player function with built-in video and speaker systems.
- ◎ Compatible with VCD and SVCD formats, decode AC-3, DTS.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.
- ◎Added synchronizing function, it can broadcast the same program on multi-station at the time
- ◎Has remote control function and reliable.
- ◎ Locking system for anti-theft, prevented the player and storage devices from being stolen.
- ◎Super thin high-transparence toughened glass layer or acryl protective layer on surface of LCD panel for protection

### Product parameter

Storage media: Compact Flash card                      Capacity: 32/64/128/256/512/1024M  
 Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD  
 Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear  
 Audio output: stereo L/R, 2W, 8Ω                      Video output: VGA                      Power Input: 110 - 240V AC, 50 / 60Hz  
 Display parameter:  
 Resolution: 1280 x1024                      Active area (mm): 337.74(H)\*270.34(V)                      Aspect ratio: 4:3                      Color: 16.7M  
 Brightness: 450cd/m2 max                      Response time: 8 (Tr/Tf) ms                      View angle: up-down 150' / left-right 135  
 Contrast ratio: 700:1 type                      Operating temperature: 0°C - 50°C                      Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax :( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L17B



## Model No: LCD-L17B

### Product Description

- ◎Casing :Fireproof material
- ◎Player media: CF card
- ◎Display size: 17" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎ All digitized player function with built-in video and speaker systems.
- ◎ Compatible with VCD and SVCD formats, decode AC-3, DTS.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.
- ◎Added synchronizing function, it can broadcast the same program on multi-station at the time
- ◎Has remote control function and reliable.
- ◎ Locking system for anti-theft, prevented the player and storage devices from being stolen.
- ◎Super thin high-transparence toughened glass layer or acryl protective layer on surface of LCD panel for protection

### Product parameter

Storage media: Compact Flash card      Capacity: 32/64/128/256/512/1024M  
 Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD  
 Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear  
 Audio output: stereo L/R, 2W, 8Ω      Video output: VGA      Power Input: 110 - 240V AC, 50 / 60Hz  
 Display parameter:  
 Resolution: 1280 x1024      Active area (mm): 337.74(H)\*270.34(V)      Aspect ratio: 4:3      Color: 16.7M  
 Brightness: 450cd/m2 max      Response time: 8 (Tr/Tf) ms      View angle: up-down 150' / left-right 135  
 Contrast ratio: 700:1 type      Operating temperature: 0°C - 50°C      Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)





# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : ( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L17C



## Model No: LCD-L17C

### Product Description

- ◎Casing : Classic stainless steel material
- ◎Player media: CF card
- ◎Display size: 17" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎ All digitized player function with built-in video and speaker systems.
- ◎ Compatible with VCD and SVCD formats, decode AC-3, DTS.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.
- ◎Added synchronizing function, it can broadcast the same program on multi-station at the time
- ◎Has remote control function and reliable.
- ◎ Locking system for anti-theft, prevented the player and storage devices from being stolen.
- ◎Super thin high-transparence toughened glass layer or acryl protective layer on surface of LCD panel for protection

### Product parameter

Storage media: Compact Flash card      Capacity: 32/64/128/256/512/1024M  
 Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD  
 Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear  
 Audio output: stereo L/R, 2W, 8Ω      Video output: VGA      Power Input: 110 - 240V AC, 50 / 60Hz  
 Display parameter:  
 Resolution: 1280 x1024      Active area (mm): 337.74(H)\*270.34(V)      Aspect ratio: 4:3      Color: 16.7M  
 Brightness: 450cd/m2 max      Response time: 8 (Tr/Tf) ms      View angle: up-down 150' / left-right 135  
 Contrast ratio: 700:1 type      Operating temperature: 0°C - 50°C      Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)





# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : ( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)


E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L17D



## Model No: LCD-L17D

Resolution: 1280x1024

Pixel Pitch: 0.264x0.297

View Angle (H/V): 160/140

Contrast Ratio: 550:1

Brightness: 500 (cd/m2)

Total Response Time: 8ms

Max Consumption: 45W

Main Features of Advertising Players.

- 1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,
- 2, Support common audio files as MP3, AWA, etc.
- 3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.
- 4, Play in memory cards, Such as CF, SD.
- 5, loudspeaker built in, broadcast in, the video Ads in a circle
- 6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.
- 7, Familiar with Windows manage resource, support the online files.
- 8, displaying the image clarified, supporting PC, AV, S-Video and TV interface



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : ( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L17E



## Model No: LCD-L17E

Resolution: 1280x1024

Pixel Pitch: 0.264x0.297

View Angle (H/V): 160/140

Contrast Ratio: 550:1

Brightness: 500 (cd/m<sup>2</sup>)

Total Response Time: 8ms

Max Consumption: 45W

Main Features of Advertising Players

- 1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,
- 2, Support common audio files as MP3.AWA.ect
- 3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.
- 4, Play in memory cards, Such as CF, SD.
- 5, loudspeaker built in, broadcast in, the video Ads in a circle
- 6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.
- 7, Familiar with Windows manage resource, support the online files.
- 8, displaying the image clarified, supporting PC, AV, S-Video and TV interface