



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No: LCD-L200A



JP H.K. LTD.

## Model No: LCD-L200A

### Model No: LCD-L200A

Aluminum Frame, Horizontal.

20 inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Accompany with hand operated timer.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 7.75KGS
- Size of the machine: 612 (H) x387 (V) x46 (T) mm
- Working temperature:5℃~60℃
- Active Area: 401.28x 298.8mm (H x V)
- Pixel pitch: 0.267x 0.6225mm
- Number of pixels: 640 x480
- Number of colors: 16.2m
- Brightness:450cd/m<sup>2</sup>
- Contrast ratio :500:1
- Viewing Angle: U85/D85/L85/R85
- Input voltage: AC110~220V
- The power supply is managed : Accord with VESA DPMS.
- Standard power: 60W
- Video is decoded : MPEG2, VCD, SVCD, DVD
- Timer: Electronic clock
- Stereo rated power: 2 x2W

Outer packing

Carton size: 687\*590\*477 mm

QTY: 5 PCS/CTN

Carton G.W.: 45.5KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

➤ LCD Digital Advertising Player

Model No:LCD-L200C



## Model No: LCD-L200C

### Model No: LCD-L200C

Metal Frame.

20inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- NET weight: 7.75KGS
- Size of the machine: 612 (H) x387 (V) x46 (T) mm
- Working temperature:5℃~60℃
- Active Area: 401.28x 298.8mm (H x V)
- Pixel pitch: 0.267x 0.6225mm
- Number of pixels: 640 x480
- Number of colors: 16.2m
- Brightness:450cd/m<sup>2</sup>
- Contrast ratio :500:1
- Viewing Angle: U85/D85/L85/R85
- Input voltage: AC110~220V
- The power supply is managed : Accord with VESA DPMS.
- Standard power: 60W
- Video is decoded : MPEG2, VCD, SVCD, DVD
- Timer: Electronic clock
- Stereo rated power: 2 x2W

Outer packing

Carton size: 687\*590\*477mm

QTY: 5 PCS/CTN

Carton G.W.: 45.5 KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax :( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L20A



## Model No: LCD-L20A

### Product Description

- ◎Casing :Fireproof material
- ◎Player media: CF card
- ◎Display size: 20" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎ All digitized player function with built-in video and speaker systems.
- ◎ Compatible with VCD and SVCD formats, decode AC-3, DTS.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.
- ◎Added synchronizing function, it can broadcast the same program on multi-station at the time
- ◎Has remote control function and reliable.
- ◎ Locking system for anti-theft, prevented the player and storage devices from being stolen.
- ◎Super thin high-transparence toughened glass layer or acryl protective layer on surface of LCD panel for protection

### Product parameter

Storage media: Compact Flash card      Capacity: 32/64/128/256/512/1024M  
 Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD  
 Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear  
 Video output: VGA      Power Input: 110 - 240V AC, 50 / 60Hz  
 Display parameter:  
 Resolution: 1280 x1024      Active area (mm): 408(H)\*306(V)      Aspect ratio: 4:3      Color: 16.7M  
 Brightness: 450cd/m2 max      Response time: 8 (Tr/Tf) ms      View angle: left-right 160' / up-down 130  
 Contrast ratio: type0:1 type      Operating temperature: 0°C - 50°C      Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)





# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L20B



## Model No: LCD-L20B

20TFT LCD TV (TV+AV+PC) and TFT LCD MONITOR

Resolution: 640x480(TV), 1600x1200(PC)

Pixel Pitch: 0.264x0.297

View Angle (H/V): 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m2)

Total Response Time : 18ms, 8ms

Max Consumption : 45W

TV Features

PC VGA: analog, 0.7Vp-p, with TTL H/V sync

Video: 1.0Vp-p, embedded sync

Audio: 0.5Vrms

Headphone out: 100mW (type).

Input / Output Port:

1, one PC VGA input port

2, one Composite Video input port

3, one S-Video input port

4, two mono (left and Right channel) audio for Video

5, one stereo audio for PC

6, One TV RF input.

7, one stereo audio output for headphone.

TV format:

1, PAL DK/I/B.G, or NTSC M/N, or SECAM (optional)

2, Video input format: PAL, NTSC, and SECAM

3, Power Supply: DC: 12 V 3.0~4.5A (according on different model)

4, 256 TV channels

5, YPbPr, YCbCr input (optional)

6, Scart Input (Optional)

7, DVI-D input for PC. (Optional)



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : ( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L20C



## Model No: LCD-L20C

Resolution: 640x480

Pixel Pitch: 0.264x0.297

View Angle: 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m<sup>2</sup>)

Total Response Time: 18ms

Max Consumption : 45W

Main Features for Advertising players :

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource , support the online files .

8, Displaying the image clarified ,supporting PC,AV,S-Video and TV interface .



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L20D



## Model No: LCD-L20D

Resolution: 640x480

Pixel Pitch: 0.264x0.297

View Angle (H/V): 160/140

Contrast Ratio: 600:1

Brightness: 550 (cd/m<sup>2</sup>)

Total Response Time: 8ms

Max Consumption: 45W

Main Features of Advertising Players.

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource, support the online files.

8, displaying the image clarified, supporting PC, AV, S-Video and TV interface