



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L320A



Model No: LCD-L320A

Model No: LCD-L320A

Metal Frame, Horizontal

32inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- Net weight: 23KG
- Temperature at the office: 5℃~60℃
- Size of the machine : 798 x 488 x 86 mm
- Active Area: 697.685 x 392.256 mm (H x V)
- Pixel pitch: 0.510mm
- Number of pixels: 1366 x 768
- Number of colors: 16.7 M
- Brightness: 500cd/m²
- Contrast ratio: 500:1
- Viewing Angle: Up 170degree/down 170 degree/left 170degree/right 170 degree
- Input voltage: AC100-240V
- Standard power : 160W
- Stereo rated power : 2 x 5W

Outer packing

Carton size: 935 x 165 x 570

QTY: 1 PCS/CTN

Carton G.W.:24KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: sgled@vip.163.com

ISO 9001:2000



Cert. #801532



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L320B



Model No: LCD-L320B

Model No: LCD-L320B

Metal Frame, Vertical

32Inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc.

Technical parameter

- Net weight: 23KG
- Temperature at the office: 5°C~60°C
- Size of the machine : 798 x 488 x 86 mm
- Active Area: 697.685 x 392.256 mm (H x V)
- Pixel pitch: 0.510mm
- Number of pixels: 1366 x 768
- Number of colors: 16.7 M
- Brightness: 500cd/m²
- Contrast ratio: 500:1
- Viewing Angle: Up /down/170/left /right /170 degree
- Input voltage: AC100-240V
- The power is managed : Accord with the power of VESA DPMS
- Standard power : 160W
- Timer: Electronic clock
- Stereo rated power : 2 x 5W

Outer packing

Carton size: 935 x 165 x 570

QTY: 1 PCS/CTN

Carton G.W.:24KGS

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: sgled@vip.163.com

ISO 9001:2000



Cert. #801532



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax :(86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-S320AY



Model No: LCD-S320AY

Technical parameter

- Net weight: 23KG
- Temperature at the office: 5°C~60°C
- Size of the machine: 990(H) x 590(V) x 55(T) mm
- Active Area: 697.685 x 392.256 mm (H x V)
- Pixel pitch: 0.510mm
- Number of pixels: 1366 x 768
- Number of colors: 16.7 M
- Brightness: 500cd/m²
- Contrast ratio: 500:1
- Viewing Angle: up 88 degree/down 88 degree/left 88degree/right 88 degree
- Input voltage: AC110-220V
- The power is managed: Accord with the power of VESA DPMS
- Standard power: 160W
- Video is decoded: MPEG2, VCD, SVCD, and DVD
- Audio frequency is decoded: AC-3, DTS pair is decoded, MP3, CD
- Broadcast medium: CF card
- Broadcast and move ahead simultaneously: Synchronous or wireless synchronism of yard according to time
- Interface type: CF
- Support the storage card: CF card
- Support the form: JPG, MP3, WMA, MPEG1, MPEG2, MPEG4 (Series)
- Timer: electronic clock
- Stereo rated power: 2 x 5W
- The fittings available: Message module, TV module, wireless synchronous module, network module (wireless) Acrylic, Horizontal.

32inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MP3, WMA, MPEG1, MPEG2 format.

Support CF, MS, SD, MMC, SM card.

Automatic switch machine of many sections of timing, work/the dormancy sundial rowing. Dog's function that the hardware guards the gate.

Have remote control, select function conveniently.

Can choose the wireless message control module, the wireless synchronous module, the wireless network module.

Operate easily, just copy movie clip files into the CF card on computer.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: sgled@vip.163.com

ISO 9001:2000



Cert. #801532



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L3201



Model No: LCD-L3201

Resolution: 800x600, 1600x1200

Pixel Pitch: 0.264x0.297

View Angle: 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m2)

Total Response Time: 18ms

Max Consumption : 45W

Main Features of Advertising Players.

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource support the online files

8, displaying the image clarified, supporting PC, AV, S-Video and TV interface



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L3202



Model No: LCD-L3202

Resolution: 800x600, 1600x1200

Pixel Pitch: 0.264x0.297

View Angle: 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m²)

Total Response Time: 18ms

Max Consumption : 45W

Main Features of Advertising Players.

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource support the online files

8, displaying the image clarified, supporting PC, AV, S-Video and TV interface



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax :(86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L3203



Model No: LCD-L3203

Resolution: 800x600, 1600x1200

Pixel Pitch: 0.264x0.297

View Angle: 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m2)

Total Response Time: 18ms

Max Consumption : 45W

Main Features for Advertising players :

- 1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,
- 2, Support common audio files as MP3, AWA, etc.
- 3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.
- 4, Play in memory cards, Such as CF, SD.
- 5, loudspeaker built in, broadcast in, the video Ads in a circle
- 6、 View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.
- 7、 Familiar with Windows manage resource , support the online files .
- 8、 Displaying the image clarified ,supporting PC,AV,S-Video and TV interface .



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L3204



Model No: LCD-L3204

Resolution: 1366x768

Pixel Pitch: 0.264x0.297

View Angle (H/V): 170/160

Contrast Ratio: 600:1

Brightness: 550 (cd/m2)

Total Response Time : 18ms. 8ms

Max Consumption : 45W

TV Features

PC VGA: analog, 0.7Vp-p, with TTL H/V sync

Video: 1.0Vp-p, embedded sync

Audio: 0.5Vrms

Headphone out: 100mW (type).

Input / Output Port:

1, one PC VGA input port

2, one Composite Video input port

3, one S-Video input port

4, two mono (left and Right channel) audio for Video

5, one stereo audio for PC

6, One TV RF input.

7, one stereo audio output for headphone.

TV format:

1, PAL DK/I/B.G, or NTSC M/N, or SECAM (optional)

2, Video input format: PAL, NTSC, and SECAM

3, Power Supply: DC: 12 V 3.0~4.5A (according on different model)

4, 256 TV channels

5, YPbPr, YCbCr input (optional)

6, Scart Input (Optional)

7, DVI-D input for PC. (Optional)

Main Features of Advertising Players.

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource support the online files

8, displaying the image clarified, supporting PC, AV, S-Video and TV interface



S.G. INTERNATIONAL GROUP H.K. LIMITED

SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: sgled@vip.163.com

MSN: sgled@hotmail.com

Yahoo Messenger: sgled_usa@yahoo.com

➤ LCD Digital Advertising Player

Model No:LCD-L3205



Model No: LCD-L3205

- ◎Casing : vertical aluminum alloy
- ◎Player media: CF card
- ◎Display size: 32" TFT- LCD
- ◎ With USB2.0, updating the contents of memory cards expediently
- ◎ It' s reliable to use CF card as the source of the programs, and convient to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, It's propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎ All digitized player function with built-in video and speaker systems.
- ◎Media format:The standard video & audio file such as MP4(AVI、 DIVX、 XVID)、 DVD(VOB)、 VCD(DAT、 MPG)、 WMV(optional)、 MP3、 WMA(optional)、 JPGIVX etc. decode AC-3, DTS.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.
- ◎Added synchronizing function, it can broadcast the same program on multi-station at the time
- ◎Has remote control function and reliable.
- ◎ Locking system for anti-theft, prevented the player and storage devices from being stolen.
- ◎Super thin high-transparence toughened glass layer or acryl protective layer on surface of LCD panel for protection
- ◎four phases on-off timer setting,clock as a cycle of week , controlled each week& everyday,controlled in the same way from Monday to Friday,controlled in the same way from Saturday to Sunday