



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L80



## Model No: LCD-L80

#### Model No: LCD-L80

Aluminum Frame, Horizontal

7.1inches excellent TFT-LCD with high resolution, wide visual angle and rich color.

The card interface of CF, use CF card to store and broadcast the program.

Support JPG, MPEG1, MPEG2, MP3, MPEG4 (DIVX, XVID) format.

Remote control unit.

Can be used in subway station, hotel, lift, boardroom, classroom, shop, supermarket and public areas or aboard Various forms of transportation, like taxi ,train etc

Technical parameter

- NET weight: 2.2KG
- Size of the machine: 260 (H) x178 (V) x35 (T) mm
- Working temperature:5°C~60°C
- Active Area: 162.2 x 121.7mm (H x V)
- Pixel pitch: 0.297mm
- Number of pixels:800 x600
- Number of colors: 16.2m
- Brightness: 200cd/m<sup>2</sup>
- Contrast ratio :250:1
- Viewing Angle: U45/D60/L65/R65
- In put voltage: AC100~240V
- The power supply is managed : Accord with VESA DPMS.
- Standard power:15W
- Stereo rated power: 2 x1W

Carton size: 675\*555\*365mm

QTY: 10 PCS/CTN

Carton G.W.: 27KGS



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L80A



## Model No: LCD-L80A

#### Product Detail

Resolution: 640\*480

Pixel Pitch: 0.264x0.297

View Angle (H/V): 100/80

Contrast Ratio: 250:1(cd/m2)

Brightness: 200

Total Response Time: 12ms

Max Consumption: 45W

#### Main Features of Advertising Players.

- 1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,
- 2, Support common audio files as MP3, AWA, etc.
- 3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.
- 4, Play in memory cards, Such as CF, SD.
- 5, loudspeaker built in, broadcast in, the video Ads in a circle
- 6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.
- 7, Familiar with Windows manage resource, support the online files.
- 8, displaying the image clarified, supporting PC, AV, S-Video and TV interface

#### TV Feature;

1>.input/output port:

DB-15VGA. AV. TV. S-Video. DVI

2>.Multi-System: PAL, SECAM, and NTSC M/N

3>.Speaker: dual channel.

4>.OSD Language: English.Russian.Spanish.Italian.Portuguese.Korean.Japanese.French.Germany.Chinese

5>.Power supply: AC100-240A, 50-60Hz, and 2.5-5A. (According to different model)

6>.TV Channels: 256



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L80B



## Model No: LCD-L80B

#### Product Detail

Resolution: 640\*480

Pixel Pitch: 0.264x0.297

View Angle (H/V): 100/80

Contrast Ratio: 250:1(cd/m2)

Brightness: 200

Total Response Time: 12ms

Max Consumption: 45W

Main Features of Advertising Players.

1, Support video Ads files such as MPEG-1, MPEG-4, VCD, DVD,

2, Support common audio files as MP3, AWA, etc.

3, Support the photo files formats as JPEG, BMP, GIF, meet the photo file formats, of common digital equipment.

4, Play in memory cards, Such as CF, SD.

5, loudspeaker built in, broadcast in, the video Ads in a circle

6, View the picture in a various modes, one by one, by slide music, meanwhile can restate the photo up to down, or left-to-right.

7, Familiar with Windows manage resource, support the online files.

8, displaying the image clarified, supporting PC, AV, S-Video and TV interface

TV Feature;

1>.input/output port:

DB-15VGA. AV. TV. S-Video. DVI

2>.Multi-System: PAL, SECAM, and NTSC M/N

3>.Speaker: dual channel.

4>.OSD Language: English.Russian.Spanish.Italian.Portuguese.Korean.Japanese.French.Germany.Chinese

5>.Power supply: AC100-240A, 50-60Hz, and 2.5-5A. (According to different model)

6>.TV Channels: 256



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L80C



## Model No: LCD-L80C

Display: 8" Active Matrix TFT LCD

Function:

Resolution: 8"inch for 640 X 480(larger pictures are auto scaled to fit the screen)

·Special installation way for displaying digital photos without a computer.

Insert the memory card into the photo frame to view the pictures,  
play MP3 music and movie files

·Support format: JPEG.MP4

·Support memory card: With 6-in-1 card reader function read CF, MS, SD, MMC, SM, XD card

·TFT/LCD modules with high resolution and adjustable contrast

·Slide show, repeat playback , play background music.

·4-25 Pictures in one view.

·Video output: can show digital photo on TV.

·Audio-output: can connect with speakers

·With zoom in / out function

·Picture rotation function: 90°, 180°, 270°

·Easily functioned by remote control or button adjustment,.

·Adjustable on the speed of photo display and transition interval at your casual.

·Built-in double audio stereo speakers

·Various decorative frame in style and color, at clients' selection.

·English / Spanish and other languages selectable.

·Supports Win 98 / Win Me / Win 2000 / Win XP.

Product Size:(WxHxD) 230x188x40 mm

PCS/CTN: 4PCS/CTN

MEAS/CTN:

62.5X29X29CM

N.W./CTN 6.50KGS

G.W./CTN:

7.50KGS



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : ( 86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L804A



## Model No: LCD-L804A

### Product Description

- ◎Casing :Fireproof material
- ◎Player media: CF card
- ◎Display size: 8.4" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎Has remote control function and reliable.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.

### Product parameter

Storage media: Compact Flash card

Capacity: 32/64/128/256/512/1024M

Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD

Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear

Audio output: stereo L/R, 2W, 8Ω

Video output: AV/VGA

Power Input: 110 - 240V AC, 50 / 60Hz

Display parameter:

Resolution: 640 x 480                      Aspect ratio: 4:3

Brightness: 300cd/m2 max

View angle: up-down 120° / left-right 120°                      Contrast ratio: 350:1 type

Operating temperature: 0°C - 50°C

Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532



# S.G. INTERNATIONAL GROUP H.K. LIMITED

## SHENZHEN SHUGUANG DIGITAL TECHNOLOGY CO., LTD.

Add: Gold industrial park, NanLing village, Buji Town, Shenzhen, China

Tel: (86)0755-25387626

84701880

84701680

Fax : (86)0755-84701680

[Http://www.sgcg-group.com](http://www.sgcg-group.com)

E-mail: [sgled@vip.163.com](mailto:sgled@vip.163.com)

MSN: [sgled@hotmail.com](mailto:sgled@hotmail.com)

Yahoo Messenger: [sgled\\_usa@yahoo.com](mailto:sgled_usa@yahoo.com)

### ➤ LCD Digital Advertising Player

Model No:LCD-L804B



## Model No: LCD-L804B

### Product Description

- ◎Casing :Fireproof material
- ◎Player media: CF card
- ◎Display size: 8.4" TFT- LCD
- ◎ Its reliable to use CF card as the source of the programs, and convent to updated the advertisements programs.
- ◎ High brightness, wide visual angle, clear display near the quality of DVD, Its propitious to the high-end users for showing their products.
- ◎Backboard fastened or bracket model, optional especial installation mode, no destruction on the wall mounted structure.
- ◎Has remote control function and reliable.
- ◎ Super strong time setting function, Plays advert programs automatically all day and all year no watch.

### Product parameter

Storage media: Compact Flash card

Capacity: 32/64/128/256/512/1024M

Format: support a variety of document formats, such as MPEG1, MPEG2, MPEG4, JPEG, MP3 VCD and DVD

Player function: auto digital play, recycles, or plays with other editing mode, no wear and tear

Audio output: stereo L/R, 2W, 8Ω

Video output: AV/VGA

Power Input: 110 - 240V AC, 50 / 60Hz

Display parameter:

Resolution: 640 x 480 Aspect ratio: 4:3

Brightness: 300cd/m2 max

View angle: up-down 120° / left-right 120°

Contrast ratio: 350:1 type

Operating temperature: 0°C - 50°C

Storage temperature: -20°C - 60°C

© 1997-2006, S.G. INTERNATIONAL GROUP H.K. LTD. All rights reserved.

Buji Town, Shenzhen 518123, China

Tel: +86-755-25387626 , 84701880 , Fax: +86-755-84701680

Sales email: [sgled@vip.163.com](mailto:sgled@vip.163.com)

ISO 9001:2000



Cert. #801532